## AMENDMENTS

Applicant requests that the Examiner enter the following amendments:

## IN THE CLAIMS:

Please amend the following claims:

Claims 1-32. (Cancelled)

- 33. (Currently amended) A method for detecting a tumor-associated heterogeneous nuclear ribonucleoprotein A2/B1 RNA species in blood plasma from a human, the method comprising the steps of:
  - centrifuging blood from a human to obtain plasma; a)
  - b) extracting extracellular total RNA from blood plasma from said human, wherein a fraction of said extracted RNA comprises a tumor-associated heterogeneous nuclear ribonucleoprotein RNA species:
  - amplifying or signal amplifying said a fraction of the extracted RNA or cDNA c) prepared therefrom, either qualitatively or quantitatively, using primers or probes specific for a tumor-associated heterogeneous nuclear ribonucleoprotein A2/B1 RNA species, or cDNA therefrom, to produce an amplified product or using labeled primers or probes specific for tumor-associated heterogeneous ribonucleoprotein RNA species, or cDNA therefrom, to produce an amplified signal; and
  - d) detecting assaying either quantitatively or qualitatively the amplified product or amplified signal of tumor-associated to detect heterogeneous ribonucleoprotein A2/B1 RNA, or cDNA therefrom.
- 34 (Currently amended) A method for detecting a tumor-associated heterogeneous nuclear ribonucleoprotein A2/B1 RNA species in serum from a human, the method comprising the steps of:
  - a) extracting extracellular total RNA from serum from a human, wherein a fraction of said extracted RNA comprises a tumor-associated heterogeneous nuclear ribonucleoprotein RNA species;

- b) amplifying or signal amplifying said a fraction of the extracted RNA or cDNA prepared therefrom, either qualitatively or quantitatively, using primers or probes specific for a tumor-associated-heterogeneous nuclear ribonucleoprotein A2/B1 RNA species, or cDNA therefrom, to produce an amplified product or using labeled primers or probes specific for tumor-associated heterogeneous ribonucleoprotein RNA species, or cDNA therefrom, to produce an amplified signal; and
- detecting assaying either quantitatively or qualitatively the amplified product or amplified signal of said tumor associated to detect heterogeneous ribonucleoprotein A2/B1 RNA, or cDNA therefrom.
- (Currently amended) A method for detecting a <u>tumor-associated</u> heterogeneous nuclear ribonucleoprotein <u>A2/B1</u> RNA species in pleural fluid from a human, the method comprising the steps of:
  - extracting extracellular total RNA from pleural fluid from a human, wherein a
    fraction of said extracted RNA comprises a tumor-associated heterogeneous
    nuclear ribonucleoprotein RNA species;
  - b) amplifying or signal amplifying said a fraction of the extracted RNA or cDNA prepared therefrom, either qualitatively or quantitatively, using primers or probes specific for a tumor associated heterogeneous nuclear ribonucleoprotein A2/B1 RNA species, or cDNA therefrom, to produce an amplified product or using labeled primers or probes specific for tumor associated heterogeneous ribonucleoprotein RNA-species, or cDNA therefrom, to produce an amplified signal; and
  - detecting <u>assaying</u> either quantitatively or qualitatively the amplified product or amplified signal of said tumor-associated to detect heterogeneous ribonucleoprotein <u>A2/B1</u> RNA, or cDNA therefrom.